

L Number	Hits	Search Text	DB	Time stamp
1	56888	(RST\$2 or restart adj2 (marker or flag or index or bit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 11:22
2	1856	((RST\$2 or restart adj2 (marker or flag or index or bit))) same band	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 11:22
4	84518	(compression or encoding or coding) with (image or picture)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 11:23
5	20	((RST\$2 or restart adj2 (marker or flag or index or bit))) same band) and ((compression or encoding or coding) with (image or picture))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 11:27
6	1	(insert\$4 or plac\$4 or add or adding) adj3 (RST\$2 or restart adj2 marker) with rows!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 11:36
7	10	(insert\$4 or plac\$4 or add or adding) adj3 (synchroni\$6) with rows!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 11:47
8	0	(start adj2 scan\$4) with (mark or flag) with rows!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 11:48
9	93	MCU near2 (rows! or lines!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 11:49
10	1	((RST\$2 or restart adj2 (marker or flag or index or bit))) same (MCU near2 (rows! or lines!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 11:49
11	6	((RST\$2 or restart adj2 (marker or flag or index or bit))) and (MCU near2 (rows! or lines!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 11:49

L Number	Hits	Search Text	DB	Time stamp
3	257	restart\$4 near4 (every adj1 other adj1 (line or row) or lines! or rows!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 09:46
4	1242915	compression or encoding or coding	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 09:46
6	56888	(RST\$2 or restart adj2 (marker or flag or index or bit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 09:48
7	2	restart adj1 (line or row) adj1 (interval or number or count)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 10:13
8	9	((restart\$4 near4 (every adj1 other adj1 (line or row) or lines! or rows!)) and (compression or encoding or coding)) and ((RST\$2 or restart adj2 (marker or flag or index or bit)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 09:50
13	32	restart with (line or row) adj1 (interval or number or count)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 10:08
14	3	((RST\$2 or restart adj2 (marker or flag or index or bit))) and (restart with (line or row) adj1 (interval or number or count))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 09:58
17	18	G3 with fax\$6 and restart	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 10:02
18	2	G3 adj1 fax\$6 adj1 standard	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 10:02
5	62	(restart\$4 near4 (every adj1 other adj1 (line or row) or lines! or rows!)) and (compression or encoding or coding)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 10:05

21	53	((restart\$4 near4 (every adj1 other adj1 (line or row) or lines! or rows!)) and (compression or encoding or coding)) not (((restart\$4 near4 (every adj1 other adj1 (line or row) or lines! or rows!)) and (compression or encoding or coding)) and ((RST\$2 or restart adj2 (marker or flag or index or bit)))) not (restart adj1 (line or row) adj1 (interval or number or count))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 10:06
22	30116	(compression or encoding or coding) with (iamge or picture)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 10:06
23	4	((restart\$4 near4 (every adj1 other adj1 (line or row) or lines! or rows!)) and (compression or encoding or coding)) not (((restart\$4 near4 (every adj1 other adj1 (line or row) or lines! or rows!)) and (compression or encoding or coding)) and ((RST\$2 or restart adj2 (marker or flag or index or bit)))) not (restart adj1 (line or row) adj1 (interval or number or count))) and ((compression or encoding or coding) with (iamge or picture))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 10:07
24	61	restart\$4 with (line or row) adj1 (interval or number or count)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 10:08
25	4	((compression or encoding or coding) with (iamge or picture)) and (restart\$4 with (line or row) adj1 (interval or number or count))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 10:08
28	1	restart adj1 (line or row) adj1 (interval or displacement)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 10:14
31	3	restart\$4 adj3 every adj3 (lines! or rows!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 10:16
32	0	intra\$6 adj3 every adj3 (lines! or rows!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 10:16
33	4	intra\$6 with every adj3 (lines! or rows!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 10:17

L Number	Hits	Search Text	DB	Time stamp
26	1604	(reduc\$4 or decreas\$4) with (RST\$2 or restart adj2 (marker or flag or index or bit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 14:20
27	215823	(improv\$4 or increas\$4) with compress\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 13:53
28	39	((reduc\$4 or decreas\$4) with (RST\$2 or restart adj2 (marker or flag or index or bit))) same ((improv\$4 or increas\$4) with compress\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 13:52
29	1287	less with (RST\$2 or restart adj2 (marker or flag or index or bit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 13:52
30	16	(less with (RST\$2 or restart adj2 (marker or flag or index or bit))) same ((improv\$4 or increas\$4) with compress\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 13:52
31	41190	(improv\$4 or increas\$4) with (encoding or coding)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 13:53
32	10	((reduc\$4 or decreas\$4) with (RST\$2 or restart adj2 (marker or flag or index or bit))) or (less with (RST\$2 or restart adj2 (marker or flag or index or bit))) and ((improv\$4 or increas\$4) with (encoding or coding))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 13:54
33	147	((reduc\$4 or decreas\$4) with (RST\$2 or restart adj2 (marker or flag or index or bit))) or (less with (RST\$2 or restart adj2 (marker or flag or index or bit))) and ((improv\$4 or increas\$4) with compress\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 13:55
34	0	(insert\$4 or plac\$4 or add or adding) adj3 (RST\$2 or restart adj2 marker) with every adj1 (two or three or "2" or "3" or other) adj2 (line or row)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 14:00
35	4	(RST\$2 or restart) adj2 interval with (two or three or "2" or "3" or every adj1 other) adj2 (line or row)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 14:16

36	7	(RST\$2 or restart) adj2 interval same (two or three or "2" or "3" or every adj1 other) adj2 (line or row)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 14:16
37	1	(RST\$2 or restart) adj2 interval with (lines! or rows!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 14:20
38	28	MCU adj2 (lines! or rows!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 14:20
39	1	(RST\$2 or restart adj2 (marker or flag or index or bit)) and (MCU adj2 (lines! or rows!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 14:22
40	8837	start near2 scan	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 14:26
41	1	(MCU adj2 (lines! or rows!)) and (start near2 scan)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/06/25 14:27